

ASW/RCF epidemiology

List of scientific publications

Original Content Articles

- Burge, P. S., Calvert, I. A., Trethowan, W. N., and Harrington, J. M., (1995). Are the respiratory health effects found in manufacturers of ceramic fibres due to the dust rather than the exposure to fibres? *Occupational And Environmental Medicine*, 52(2): 105–109.
- Cherrie, J., Bodsworth, P., Cowie, H., Groat, S., Pettie, S., and Dodgson, J., (1989). *Historical Research Report - A report on the environmental conditions at seven European ceramic fibre plants*. (Research R.). Edinburgh, UK: Institute of Occupational Medicine, pp 83.
- Chiazze, L. Jr., Watkins, D. K., and Fryar, C., (1997). Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J. Occup. Environ. Med.*, 39(5):432-441. - NOT AVAILABLE IN ELECTROINC FORMAT
- Cowie, H. A., Wild, P., Beck, J., Auburtin, G., Piekarski, C., Massin, N., Cherrie, J. W., Hurley, J. F., Miller, B. G., Groat, S., and Soutar, C. a, (2001). An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. *Occupational And Environmental Medicine*, 58(12): 800–810.
- Lacourt, A., Rinaldo, M., Gramond, C., Ducamp, S., Gilg Soit Ilg, A., Goldberg, M., Pairon, J. C., and Brochard, P., (2014). Co-exposure to refractory ceramic fibres and asbestos and risk of pleural mesothelioma. *The European Respiratory Journal*, 44(3): 725–733.
- Lemasters, G. K., Lockey, J. E., Levin, L. S., McKay, R. T., Rice, C. H., Horvath, E. P., Papes, D. M., Lu, J. W., and Feldman, D. J., (1998). An industry-wide pulmonary study of men and women manufacturing refractory ceramic fibers. *American Journal Of Epidemiology*, 148(9): 910–919.
- Lemasters, G. K., Win, J., Hillbert, T., Levin, L. S., and Rice, C. H., (2003). Mortality of Workers Occupationally Exposed to Refractory Ceramic Fibers. *J Occup Environ Med.*
- Lentz, T. J., Rice, C. H., Lockey, J. E., Succop, P. A., and Lemasters, G. K., (1999). Potential significance of airborne fiber dimensions measured in the U.S. refractory ceramic fiber manufacturing industry. *American Journal Of Industrial Medicine*, 36(2): 286–298.
- Lentz, T. J., Rice, C. H., Succop, P. a, Lockey, J. E., Dement, J. M., and LeMasters, G. K., (2003). Pulmonary deposition modeling with airborne fiber exposure data: a study of workers

manufacturing refractory ceramic fibers. *Applied Occupational And Environmental Hygiene*, 18(4): 278–288.

Lockey, J. E. and Ross, C. S. (1998). Health effects of man made fibres. *In: Encyclopedia of Occupational Health and Safety*, Stellman JM (ed)., 4th ed. Vol I. Geneva, Switzerland: International Labour Office 10:74-78. - NOT AVAILABLE IN ELECTROINC FORMAT

Lockey, J. E., LeMasters, G. K., Levin, L., Rice, C., Yiin, J., Reutman, S., and Papes, D., (2002). A longitudinal study of chest radiographic changes of workers in the refractory ceramic fiber industry. *Chest*, 121(6): 2044–2051.

Lockey, J. E., Levin, L. S., Lemasters, G. K., McKay, R. T., Rice, C. H., Hansen, K. R., Papes, D. M., Simpson, S., and Medvedovic, M., (1998). Longitudinal estimates of pulmonary function in refractory ceramic fiber manufacturing workers. *American Journal Of Respiratory And Critical Care Medicine*, 157: 1226–1233.

Lockey, J. E., Roggli, V. L., Hilbert, T. J., Rice, C. H., Levin, L. S., Borton, E. K., Biddinger, P. W., and Lemasters, G. K., (2012). Biopersistence of refractory ceramic fiber in human lung tissue and a 20-year follow-up of radiographic pleural changes in workers. *Journal Of Occupational And Environmental Medicine / American College Of Occupational And Environmental Medicine*, 54(7): 781–8.

Lockey, J., Lemasters, G., Rice, C., Hansen, K., Levin, L., Shipley, R., Spitz, H., and Wiot, J., (1996). Refractory ceramic fiber exposure and pleural plaques. *American Journal Of Respiratory And Critical Care Medicine*, 154(1): 1405–1410.

McKay, R. T., LeMasters, G. K., Hilbert, T. J., Levin, L. S., Rice, C. H., Borton, E. K., and Lockey, J. E., (2011). A long term study of pulmonary function among US refractory ceramic fibre workers. *Occupational And Environmental Medicine*, 68(2): 89–95.

McKay, R. T., Levin, L. S., Lockey, J. E., Lemasters, G. K., Medvedovic, M., Papes, D. M., Simpson, S. R., and Rice, C. H., (1999). Weight change and lung function: implications for workplace surveillance studies. *Journal Of Occupational And Environmental Medicine / American College Of Occupational And Environmental Medicine*, 41(7): 596–604.

Rice, C. H., Levin, L. S., Borton, E. K., Lockey, J. E., Hilbert, T. J., and Lemasters, G. K., (2005). Exposures to refractory ceramic fibers in manufacturing and related operations: a 10-year update. *Journal Of Occupational And Environmental Hygiene*, 2(9): 462–473.

Rice, C. H., Lockey, J. E., Lemasters, G. K., Levin, L. L., Staley, P., and Hansen, K. R., (1997). Estimation of Historical and Current Employee Exposure to Refractory Ceramic Fibers during Manufacturing and Related Operations. *Applied Occupational And Environmental Hygiene*, 12(1): 54–61.

- Rice, C., Lockey, J., Lemasters, G., Dimos, J., and Gartside, P., (1994). Assessment of current fibre and silica exposure in the U.S. refractory ceramic fibre manufacturing industry. *Ann Occup Hyg*, 38(1): 739–744.
- Rogers, A. and Yeung, P., (2000). Dust Exposure and Respiratory Health of Workers in the Australian Refractory Ceramic Fibre production Industry, Proceedings Occupational Health in Developing Countries, IOHA Conference Cairns, Australia, 2000. - NOT AVAILABLE IN ELECTROINC FORMAT
- Rogers, A., Yeung, P., Berry, G., Conaty, G., and Aphorpet, L., (1997). Exposure and respiratory health of workers in the Australian refractory ceramic fibre production industry. *Annals Of Occupational Hygiene*, 41(Suppl. 1): 261–266.
- Trethowan, W. N., Burge, P. S., Rossiter, C. E., Harrington, J. M., and Calvert, I. A., (1995). Study of the respiratory health of employees in seven European plants that manufacture ceramic fibres. *Occupational And Environmental Medicine*, 52(2): 97–104.
- Trethowan, W. N., Burge, P. S., Harrington, J. M., *et al*, (1989). A study of the respiratory health of employees in seven European ceramic fibre manufacturing plants. Final report to the *European Ceramic Fibre Industries Association (ECFIA)*. Birmingham: Institute of Occupational Health, 1989. - NOT AVAILABLE IN ELECTROINC FORMAT

Review Articles

- Australian Institute of Occupational Hygienists (AIOH), (2011). *Synthetic mineral fibers (SMF) and occupational health issues: position paper*. Australian Institute of Occupational Hygienists, Victoria, Australia, pp. 25.
- Brown, R. C., Bellmann, B., Muhle, H., Davis, J. M. G., and Maxim, L. D., (2005). Survey of the biological effects of refractory ceramic fibres: Overload and its possible consequences. *Annals Of Occupational Hygiene*, 49: 295–307.
- Cherrie, J. W., Ng, M. G., Shafrir, A., van Tongeren, A., Mistry, R., Warwick, O., Corden, C., Rushton, L., and Hutchings, S., (2011). *Health , socio-economic and environmental aspects of possible amendments to the EU Directive on the protection of workers from the risks related to exposure to carcinogens and mutagens at work Refractory Ceramic Fibers*. Edinburg, UK: Intutue of Occupational Medicine, pp 101.
- Costa, R., and Orriols, R., (2012). Man-Made Mineral Fibers and the Respiratory Tract. *Archivos de Bronconeumología (English Edition)*. *Arch Bronconeumol*, 48(12): 460–468.

- Greim, H., Utell, M. J., Maxim, L. D., and Niebo, R., (2014). Perspectives on refractory ceramic fiber (RCF) carcinogenicity: comparisons with other fibers. *Inhalation Toxicology*, 26(13): 789–810.
- Health Council of the Netherlands, (DECOS), (2011). *Refractory Ceramic Fibres, Evaluation of the carcinogenicity and genotoxicity*. (Vol. 2006). The Hague: Health Council of the Netherlands, publication no. 2011/29. 45 pp.
- International Agency for Research on Cancer (IARC), (2010). *IARC monographs on the evaluation of carcinogenic risks to humans. Volume 81 Man Made Vitreous Fibres. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans / World Health Organization, International Agency for Research on Cancer* (Vol. 94). Lyon, France: IARC, pp 433.
- Jargin, S., (2015). Asbestos and its substitutes: International coordination and independent research needed. *Journal Of Environmental And Occupational Science*, 4(1): 1.
- Kiakouama, L., and Faucon, D., (2010). Les fibres céramiques réfractaires : un danger pour l'Homme ? Revue de la littérature. *Archives Des Maladies Professionnelles Et De L'Environnement*, 71(5): 759–770.
- Mast, R. W., Maxim, L. D., Utell, M. J., and Walker, a M., (2000). Refractory ceramic fiber: toxicology, epidemiology, and risk analyses--a review. *Inhalation Toxicology*, 12(5): 359–399.
- Maxim, L. D., Allshouse, J. N., Chen, S. H., Treadway, J. C., and Venturin, D. E., (2000). Workplace monitoring of refractory ceramic fiber in the United States. *Regulatory Toxicology And Pharmacology : RTP*, 32(3): 293–309.
- Maxim, L. D., Allshouse, J. N., Chen, S. H., Treadway, J., and Venturin, D., (1998). The development and use of respirator response functions as part of a workplace exposure monitoring program for control of potential respiratory hazards. *Regulatory Toxicology And Pharmacology : RTP*, 27(2): 131–149.
- Maxim, L. D., Allshouse, J. N., Kelly, W. P., Walters, T., and Waugh, R., (1997). A multiyear workplace-monitoring program for refractory ceramic fibers: findings and conclusions. *Regulatory Toxicology And Pharmacology : RTP*, 26(2): 156–171.
- Maxim, L. D., Allshouse, J. N., and Venturin, D. E., (2000). The random-effects model applied to refractory ceramic fiber data. *Regulatory Toxicology And Pharmacology : RTP*, 32(2): 190–199.
- Maxim, L. D., Niebo, R., and Utell, M. J., (2015). Are pleural plaques an appropriate endpoint for risk analyses? *Inhalation Toxicology*, 00(00): 1–14.

- Maxim, L. D., and Utell, M. J., (2014). Alumino-silicate Fibers. In Wexler, P. (Ed.), *Encyclopedia of Toxicology* (3rd ed., Vol. 1). Elsevier, Inc., Academic Press, UK, pp 156-160.
- National Research Council, (2000). *Review of the U.S. Navy's Exposure Standard for Manufactured Vitreous Fibers*.
- Rice, C., Lockey, J., Lemasters, G., Levin, L., McKay, R., Hilbert, T., and Borton, E., (2014). *25-year retrospective / prospective study of Refractory Ceramic Fiber (RCF) manufacturing workers*.
- Scientific Committee on Occupational Exposure Limits (SCOEL), (2011). *Recommendation from the Scientific Committee on Occupational Exposure Limits for Refractory Ceramic Fibers (SCOEL/SUM/165) September, 2011*. European Commission, Brussels, pp 21.
- Utell, M. J., and Maxim, L. D., (2010). Refractory ceramic fiber (RCF) toxicity and epidemiology: a review. *Inhalation Toxicology*, 22(6): 500–521.
- Walker, A. M., Maxim, L. D., and Utell, M. J., (2012). Are airborne refractory ceramic fibers similar to asbestos in their carcinogenicity? Includes Corrigendum. *Inhalation Toxicology*, 24(7): 416–424.
- Walker, A. M., Maxim, L. D., and Utell, M., (2002). Risk analysis for mortality from respiratory tumors in a cohort of refractory ceramic fiber workers. *Regulatory Toxicology And Pharmacology : RTP*, 35(1): 95–104.
- Wild, P., Gonzalez, M., Bourgkard, E., Courouble, N., Clément-Duchêne, C., Martinet, Y., Févotte, J., and Paris, C., (2012). Occupational risk factors have to be considered in the definition of high-risk lung cancer populations. *British Journal Of Cancer*, 106(7): 1346–52.